


## Two-piece P-fitting with sealing cone and O-Ring (DKO-L and DKO-S) metric, following DIN 3865

screw cap light and heavy series

Suitable for DN4 TECALAN-hose Type BA04, AF4, AF4CU, GE4, 250DN4




code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L	4	M12x1,5	2	14	42	23	18	5.12 45 05.1
4 DKO 14 - 6 S	4	M14x1,5	2	17	42	23	18	5.12 45 02.1

**Material:** steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen  
Telefon: +49(0)6402/512150  
Internet: www.tecalan.de

**TECALAN**

**Two-piece P-fitting – 30°  
with sealing cone and O-Ring (DKO-L)  
metric, following DIN 3865**  
screw cap light series



For DN4 TECALAN-hose Type BA04, AF4, AF4CU, GE4, 250DN4

code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 30°	4	M12x1,5	2	14	69	51	46,5	5.12 55 02.1

**Material:** steel, galvanized, passivated (other materials on request). All dimensions in mm.


Beethovenstr. 35D · 35410 Hungen / Hessen  
Telefon: +49(0)6402/512150  
Internet: www.tecalan.de

**TECALAN**

## Two-piece P-fitting – 45° with sealing cone and O-Ring (DKO-L and DKO-S) metric, following DIN 3865

screw cap light and heavy series

For DN4 TECALAN-hose Type BA04, AF4, AF4CU, GE4, 250DN4



code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 45°	4	M 12 x 1,5	2	14	66	49	44,8	5.12 55 04.1
4 DKO 14 - 6 S / 45°	4	M 14 x 1,5	2	17	66	49	44,8	5.12 55 06.1


**Material:** steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen  
Telefon: +49(0)6402/512150  
Internet: www.tecalan.de

**TECALAN**

## Two-piece P-fitting – 90° with sealing cone and O-Ring (DKO-L and DKO-S)

metric, following DIN 3865  
screw cap light and heavy series



Suitable for DN4 TECALAN-hose Type BA04, AF4, AF4CU, GE4, 250DN4


code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 90°	4	M 12 x 1,5	2	14	42	23	18,2	5.12 48 01.0
4 DKO 14 - 6 S / 90°	4	M 14 x 1,5	2	17	42	23	18,2	5.12 45 04.1

**Material:** steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen  
Telefon: +49(0)6402/512150  
Internet: www.tecalan.de

**TECALAN**

## U-Ferrule for DN 4



Suitable for TECALAN-hose Type AF, BF, 250, BA, AS, AF...HH

code: P-Ferrule	DN	d1	d2	L1	Part-No.
U-Ferrule 4	4	11,5	8,4	23,0	5.12 46 02.2

**Material:** steel, galvanized, passivated (other materials on request). All dimensions in mm.