


**Two-piece P-fitting with
sealing cone and O-Ring
(DKO-L and DKO-S)
metric, following DIN 3865**
screw cap light and heavy series




For DN4 TECALAN-hose Type BA04, AF4, AF4CU, GE4, BF4, 250DN4

code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L	4	M12x1,5	2	14	42	23	18	5.12 45 05.1
4 DKO 14 - 6 S	4	M14x1,5	2	17	42	23	18	5.12 45 02.1

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

**Two-piece P-fitting – 30°
with sealing cone and O-Ring (DKO-L)
metric, following DIN 3865**
screw cap light series




For DN4 TECALAN-hose type: BA04, AF4, AF4CU, GE4, BF4, 250DN4

code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 30°	4	M12x1,5	2	14	69	51	46,5	5.12 55 02.1

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

**Two-piece P-fitting – 45°
with sealing cone and O-Ring
(DKO-L and DKO-S)
metric, following DIN 3865**
screw cap light and heavy series



For DN4 TECALAN-hose type: BA04, AF4, AF4CU, GE4, BF4, 250DN4


code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 45°	4	M 12 x 1,5	2	14	66	49	44,8	5.12 55 04.1
4 DKO 14 - 6 S / 45°	4	M 14 x 1,5	2	17	66	49	44,8	5.12 55 06.1

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen
Telefon: +49(0)6402/512150
Internet: www.tecalan.de

TECALAN

**Two-piece P-fitting – 90°
with sealing cone and O-Ring
(DKO-L and DKO-S)
metric, following DIN 3865**
screw cap light and heavy series




For DN4 TECALAN-hose type: BA04, AF4, AF4CU, GE4, BF4, 250DN4

code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
4 DKO 12 - 6 L / 90°	4	M 12 x 1,5	2	14	42	23	18,2	5.12 48 01.0
4 DKO 14 - 6 S / 90°	4	M 14 x 1,5	2	17	42	23	18,2	5.12 45 04.1

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

U-Ferrule

for DN 4



Suitable for TECALAN-hose Type AF, BF, 250, BA, AS, AF...HH

code: P-Ferrule	DN	d1	d2	L1	Part-No.
U-Ferrule 4	4	11,5	8,4	23,0	5.12 46 02.2
U-Ferrule BF4	4	13,0	9,45	23,0	5.12 46 07.1

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.