


Two-piece P-fitting with sealing cone and O-Ring (DKO-L and DKO-S)

metric, following DIN 3865

screw cap light and heavy series



For DN3 TECALAN-hose type: AF3 + AF3A


code: P-fitting	DN	d1	d2	SW	L1	L2	L3	Part-No.
3 DKO 12 - 6 L	3	M12x1,5	1,7	14	32	22	18	51242011
3 DKO 14 - 6 S	3	M14x1,5	1,7	17	32	22	18	51242021

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen
Telefon: +49(0)6402/512150
Internet: www.tecalan.de

TECALAN

**Two-piece P-fitting – 45°
with sealing cone and O-Ring
(DKO-L and DKO-S)
metric, following DIN 3865**
screw cap light and heavy series



For DN3 TECALAN-hose type: AF3 + AF3A


code: P-fitting	DN	d1	d2	SW	H	L1	L2	L3	Part-No.
3 DKO 12 - 6 L / 45°	3	M 12 x 1,5	1,7	14	17	55	45	41	51242051
3 DKO 14 - 6 S / 45°	3	M 14 x 1,5	1,7	17	17	55	45	41	51242061

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen
Telefon: +49(0)6402/512150
Internet: www.tecalan.de

TECALAN

**Two-piece P-fitting – 90°
with sealing cone and O-Ring
(DKO-L and DKO-S)
metric, following DIN 3865**
screw cap light and heavy series



For DN3 TECALAN-hose type: AF3 + AF3A


code: P-fitting	DN	d1	d2	SW	H	L1	L2	L3	Part-No.
3 DKO 12 - 6 L / 90°	3	M 12 x 1,5	1,7	14	32	36	26	22	51242091
3 DKO 14 - 6 S / 90°	3	M 14 x 1,5	1,7	17	32	36	26	22	51242101

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.

Beethovenstr. 35D · 35410 Hungen / Hessen
Telefon: +49(0)6402/512150
Internet: www.tecalan.de

TECALAN

U-Ferrule for DN 3



Suitable for TECALAN-hose Type AF3 + AF3A

code: U-Ferrule	DN	d1	d2	L1	Part-No.
U-Ferrule 3	3	9,4	6,7	15,0	51246011

Material: steel, galvanized, passivated (other materials on request). All dimensions in mm.